

Long-Lasting Cooling. Uninterrupted Sleep.

**V-Guard Air Coolers** 



# A LEGACY OF MORE THAN 4 DECADES

The origin of V-Guard dates back to 1977, when Mr. Kochouseph Chittilappilly, with a burning passion to make a difference, set out to build a robust brand in the Indian electrical and electronic goods market. With a small manufacturing unit for voltage stabilizers, a vision and a strong make-do belief, apart from a capital of INR 100,000 that he borrowed from his father and two workers to assist him, he set to sail on his dream. Within a short span of time, V-Guard grew rapidly to become a name synonymous with voltage stabilizers across South India. In the year 2012, he passed the baton on to his son Mr. Mithun K Chittilappilly who took over as the Managing Director of the company. The company grew rapidly expanding its presence across India as well as its portfolio with a range of products to include Inverter and Inverter Batteries, Electric Water Heaters, Solar Water Heaters, Pumps & Motors, Domestic Switch Gears, Distribution Boards, Wiring Cables, Induction Cooktops, Mixer Grinders, Fans, Gas Stoves, Rice Cookers, Modular Switches, Air Coolers, Breakfast Appliances, Chimneys and Water Purifiers. In less than four decades, V-Guard earned a reputation of solidity and reliability for designing and manufacturing products that are built to last! Being rooted in solidity is only the beginning, something we are proud of but a glory we cannot bask in. Because there is so much more to achieve in a world in which the meaning of a better quality of life is being redefined every day, fuelling greater expectations from the tools that enable a better quality of life. V-Guard has embarked on a series of transformational exercises across the value chain including customer service, supply chain management functions, ushering in a paradigm shift in sales & marketing and quality-first processes across the organisation, to serve customers better and enhance their delight. V-Guard's new vision will continue to drive more technologically driven smart products for the next decade and beyond, enabling a seamlessly connected world. V-Guard is armed with a vast network of distributors, direct dealers, retailers and service centres in its endeavour to reach every nook and corner of the country.





# V-GUARD RANGE OF PRODUCTS





V-Guard Air Coolers

# LONG-LASTING COOLING. UNINTERRUPTED SLEEP.

Are you looking for an affordable and effective way to beat the summer heat? With enhanced performance, high-end technical features, stylish look and value for money, V-Guard's range of air coolers would be the best solution for you. Designed with superior features and technology, V-Guard air coolers are among the best in India that would help you beat the boiling heat by keeping your rooms cool and cozy. Its robust air throw lets you keep your cool intact during harsh summer months.

Our exclusive range of air coolers comprises of Desert Coolers, Window Coolers, Personal Coolers and Room Coolers that deliver uninterrupted cooling for many hours. Sleek and stylishly designed these coolers not just enhance your home decor, but provide matchless cooling while taking very less floor space. With a spectrum of functions coming together, V-Guard's air coolers are the perfect fit for you.







Presenting

# **AIKIDO NXT-N AIR COOLERS**

FOR NEXT GENERATION COOLING

SMART REMOTE CONTROL HUMIDITY CONTROL SLEEP MODE



#### AIKIDO NXT-N AIR COOLERS FOR NEXT GENERATION COOLING

Cooling has now been smartly redefined with V-Guard's Aikido NXT-N Coolers. Your sleep is now under your control with smart features such as Sleep Mode, Remote Control, Humidity Control and much more! In addition, the air cooler is equipped with excellent features such as aerodynamically balanced body, antifungal honeycomb cellulose pads and a unidrip water distribution system. All this because we truly believe that your day should be as good as the sleep you got the previous day. Get ready for uninterrupted and refreshing sleep.

#### SMART REMOTE CONTROL OPERATION

Full function remote with wide range of accessibility lets you operate the air cooler from bed level.

#### SMART HUMIDITY CONTROL

Controls the humidity level inside a room, thus makes it more comfortable. To reduce high humidity, water will fall periodically according to the pump on/off for specified cycle time.

#### SMART SLEEP MODE

Smart sleep mode ensures adequate cooling and also adjusts cooling in three modes. Sleep mode controls fan/blower speed at high for the first one hour and switches automatically to medium for the next one hour and then run continuously at low speed.

#### · SMART USER CONTROL (OFF TIMER)


Smart user control enables the user to set the off timer within 1 to 10 hours. Once the set time has passed, the unit will automatically shut off.

#### SMART MEMORY FUNCTION

Smart memory function for immediate restart after a power interruption.

#### · LOW WATER LEVEL ALARM

Buzzer with red indication will glow when a low water level is sensed.



# DESERT COOLERS AIKIDO F85 NXT-N





# DESERT COOLERS AIKIDO F70 NXT-N





- Tank capacity: 70 litre
- Air delivery: 4700 m³/h
- Air throw distance: 15.2 metre
- Antifungal cellulose honeycomb cooling pads
- Cord winding provision
- · Strong 5 nos. caster wheels
- · With remote control

# ROOM COOLERS AIKIDO F50T NXT-N





# ROOM COOLERS AIKIDO F30T NXT-N





## **PERSONAL COOLERS**

**AIKIDO B25 NXT-N** 







- · Tank capacity: 25 litre
- · Air delivery: 1100 m3/h
- · Air throw distance: 7.6 metre
- Antifungal cellulose honeycomb cooling pads
- · Cord winding provision
- · Strong 4 nos. caster wheels
- · With remote control

#### TECHNICAL SPECIFICATION - AIKIDO NXT-N

-	MODEL					
	AIR COOLER CATEGORY	DESERT	DESERT	ROOM	ROOM	PERSONAL
	MODEL NAME	AIKIDO F85 NXT-N	AIKIDO F70 NXT-N	AIKIDO F50T NXT-N	AIKIDO F30T NXT-N	AIKIDO B25 NXT-N
	Water tank capacity up to overflow (litre)	85	70	50	30	25
	Mode of operation	Remote/manual	Remote/manual	Remote/manual	Remote/manual	Remote/manual
	Humidity control	Provided	Provided	Provided	Provided	Provided
	Sleep mode	Provided	Provided	Provided	Provided	Provided
	Off timer	1-10 hours	1-10 hours	1-10 hours	1-10 hours	1-10 hours
S	Low water level alarm	Provided	Provided	Provided	Provided	Provided
FEATURES	Memory reset function	Provided	Provided	Provided	Provided	Provided
u.	Air device	Corrosion resistant plastic fan blade	Corrosion resistant plastic fan blade	Corrosion resistant plastic fan blade	Corrosion resistant plastic fan blade	Corrosion resistant plastic blower
	Water inlet provision	Water inlet door	Water inlet door	Water inlet spout	Water inlet spout	Water inlet door
	Water level indicator	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)
	Overflow hole	Provided	Provided	Provided	Provided	Provided
	Openable cooling pads	Only back panel	Only back panel	All three panels	All three panels	Only back panel
	Cooling medium	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad
	Cord winding provision	Provided	Provided	Provided	Provided	Provided
	Handle provision	Provided	Provided	Provided	Provided	Provided
	Portability	5 nos. caster wheels provided	5 nos. caster wheels provided	Trolley with 4 nos. castor wheels provided	Trolley with 4 nos. castor wheels provided	4 nos. caster wheels provided
	Front & top deco panels	Provided	Provided	Provided	Provided	Provided
INCE	Air throw distance (approx.) (metre)	15.2	15.2	12	10.7	7.6
PERFORMANCE	Air delivery (m³/h)	4700	4700	3500	2900	1100
BE	Wattage (approx.) (W)	190	190	180	125	120
SAFETY	3 pin power cord with earthing	Provided	Provided	Provided	Provided	Provided
SAF	Thermal overload protection	Provided	Provided	Provided	Provided	Provided
	Air deflection	4 way	4 way	4 way	4 way	4 way
	Speed	3 speed	3 speed	3 speed	3 speed	3 speed
FUNCTIONS	Vertical louver movement	Motorized	Motorized	Motorized	Motorized	Motorized
FUNC	Horizontal louver movement	Manual	Manual	Manual	Manual	Manual
	Fully closable horizontal louvers	Provided	Provided	Provided	Provided	Provided
	Works on inverter	Yes	Yes	Yes	Yes	Yes
SIONS	Blower/fan diameter (cm)	40.6	40.6	35.6	35.6	20.3
DIMENSIONS	Product dimensions (W x D x H) in cm	68 x 52.4 x 110	68 x 52.4 x 104.1	56.5 x 47.0 x 120.2	56.5 x 47.0 x 110.2	46 x 37 x 78.1







Presenting WHIZAIR-N

Range of Air Coolers

FOR LONG-LASTING COOLING

Aerodynamically balanced body

Antifungal cellulose honeycomb cooling pads

Works on inverters



#### FOR LONG-LASTING COOLING

Experience paramount breeze flow with V-Guard's WhizAir-N range of air coolers. Equipped with high tank capacity and cellulose honeycomb cooling pads, the state-of-the-art air cooler offers a superior cooling experience. Designed to work on any alternate power source with a wide voltage working range means uninterrupted cooling for many hours.

#### WHIZAIR-N FEATURES



Superior Performance



Best-In-Class Air Delivery



An Aerodynamically Balanced Body For Better Stability



Tetra Airflow Cooling For Efficient Air Circulation



Unidrip Flow Water Distribution Ensuring No Wastage Of Water



Long-Lasting Cooling Media With Nano Pores



Ice Chamber For Enhanced Cooling



Corrosion Resistant Fan Blades/Blower



Wide Voltage Working Range to Tackle High/Low Voltage (160V ~ 270V)



Enhanced Protection For Main Motor & Pump




Auto-Fill Float Valve for Uninterrupted Water Supply \*(Selected Models)



Works on Inverters

## DESERT COOLERS VGD 85H-N





- · Tank capacity: 85 litre
- · Air delivery: 4500 m³/h
- · Air throw distance: 15.2 metre
- Antifungal cellulose honeycomb cooling pads
- Ice chamber for enhanced cooling

# DESERT COOLERS VGD 65H-N





- · Tank capacity: 65 litre
- · Air delivery: 4300 m³/h
- Air throw distance: 15.2 metre
- Antifungal cellulose honeycomb cooling pads
- Ice chamber for enhanced cooling

# DESERT COOLERS VGD 55H-N





- · Tank capacity: 55 litre
- · Air delivery: 4000 m³/h
- Air throw distance: 13.7 metre
- Antifungal cellulose honeycomb cooling pads
- Ice chamber for enhanced cooling

## DESERT COOLERS VGD 50W-N





# FEATURES - Tank capacity: 50 litre - Air delivery: 4000 m³/h - Air throw distance: 13.7 metre - Himalayan pinewood wool cooling pads

· Mosquito filter net

## ROOM COOLERS VGW 50HT-N\*\*





- · Tank capacity: 50 litre
- Air delivery: 2100 m³/h
- · Air throw distance: 13.7 metre
- Antifungal cellulose honeycomb cooling pads
- With trolley

## **PERSONAL COOLERS**

VGP 22H-N





#### TECHNICAL SPECIFICATION - WHIZAIR-N

	MODEL		6	6	ō		
		E.	W	Til I			.14
	AIR COOLER CATEGORY	DESERT	DESERT	DESERT	DESERT	ROOM	PERSONAL
	MODEL NAME	VGD 85H-N	VGD 65H-N	VGD 55H-N	VGD 50W-N	VGW 50HT-N	VGP 22H-N
	Water tank capacity up to brim (litre)	85	65	55	50	50	22
RES	Air device	Corrosion resistant plastic fan blade	Corrosion resistant plastic blower	Corrosion resistant plastic blower			
FEATURES	Ice chamber	Provided	Provided	Provided	Provided	No	Provided
	Water inlet door	Spout	Provided	Provided	Provided	Provided	No
	Water level indicator	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided	Provided (tank inbuilt)	Provided (tank inbuilt)
	Openable cooling pads (back)	Only back panel	Only back panel	Only back panel	Only back panel	All three panels	Only back panel
	Cooling medium	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad	Himalayan pinewood wool	Cellulose honeycomb pad	Cellulose honeycomb pad
	Portability	5 nos. caster wheels provided	4 nos. caster wheels provided	4 nos. caster wheels provided	4 nos. caster wheels provided	With trolley	4 nos. caster wheels provided
NCE	Air throw distance (approx.) metre	15.2	15.2	13.7	13.7	13.7	7.6
PERFORMANCE	Air delivery (m³/h)	4500	4300	4000	4000	2100	1100
	Wattage (approx.) W	190	190	190	190	200	130
	Thermal overload protection	Provided	Provided	Provided	Provided	Provided	Provided
SAFETY	3 pin power cord with earthing	Provided	Provided	Provided	Provided	Provided	Provided
SAF	Float valve auto fill	Provided	Provided	Provided	Provided	Provided	No
	Mosquito filter net	NA	NA	NA	Provided	Provided	Provided
	Works on inverter	Yes	Yes	Yes	Yes	Yes	Yes
15	Air deflection	4 way	4 way	4 way	4 way	4 way	4 way
FUNCTIONS	Speed	3 speed	3 speed	3 speed	3 speed	3 speed	3 speed
B	Vertical louver movement	Motorized	Motorized	Motorized	Motorized	Motorized	Motorized
	Horizontal louver movement	Manual	Manual	Manual	Manual	Manual	Manual
SIONS	Blower/fan diameter (cm)	40.6	40.6	40.6	40.6	20.3	20.3
DIMENSIONS	Dimensions (W x D x H) cm	59.5 x 49.5 x 108.5	59.0 x 34.0 x 120.1	59.0 x 34.0 x 117.5	60.5 x 48.0 x 99.5	64.0 x 53.0 x 100	40.0 x 31.0 x 77.2




Higher tank capacity enabling uninterrupted sleep

Thicker pads for enhanced cooling



#### AIKIDO-N AIR COOLERS FOR LONG-LASTING COOLING

Beat the heat with the new range of Aikido-N Air Coolers from V-Guard. Equipped with a higher tank capacity, the Aikido-N air coolers don't need frequent refills. It also features thicker cooling pads that ensure long-lasting cooling. Working in tandem with each other, all of these features give you and your family many nights of uninterrupted sleep. So that every day, everybody can wake up refreshed, think fresh and have a great day.



## **DESERT COOLERS**

**AIKIDO F85-N** 





## **DESERT COOLERS**

**AIKIDO F70-N** 









## **PERSONAL COOLERS**

AIKIDO B25-N





- Tank capacity: 25 litre
- · Air delivery: 1100 m3/h
- · Air throw distance: 7.6 metre
- Antifungal cellulose honeycomb cooling pads
- · Easily openable cooling pads
- · Cord winding provision
- Strong 4 nos. caster wheels

		1	-	Table 1	Tanal Control	-
	MODEL					
	AIR COOLER CATEGORY	DESERT	DESERT	ROOM	ROOM	PERSONAL
	MODEL NAME	AIKIDO F85-N	AIKIDO F70-N	AIKIDO F50T-N	AIKIDO F30T-N	AIKIDO B25-N
Ì	Water tank capacity up to overflow (litre)	85	70	50	30	25
	Air device	Corrosion resistant plastic fan blade	Corrosion resistant plastic fan blade	Corrosion resistant plastic fan blade	Corrosion resistant plastic fan blade	Corrosion resistant plastic blower
2	Water inlet provision	Water inlet door	Water inlet door	Water inlet spout	Water inlet spout	Water inlet door
LEAI URES	Water level indicator	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)	Provided (tank inbuilt)
	Over flow hole	Provided	Provided	Provided	Provided	Provided
Ì	Openable cooling pads	Only back panels	Only back panels	All three panels	All three panels	Only back panel
ĺ	Cooling medium	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad	Cellulose honeycomb pad
ĺ	Cord winding provision	Provided	Provided	Provided	Provided	Provided
ĺ	Handle provision	Provided	Provided	Provided	Provided	Provided
	Portability	5 nos. caster wheels provided	5 nos. caster wheels provided	Trolley with 4 nos. castor wheels provided	Trolley with 4 nos. castor wheels provided	4 nos. caster wheels provided
	Front & top deco panels	Provided	Provided	Provided	Provided	Provided
ĺ	Power on LED indicator	Provided	Provided	Provided	Provided	Provided
NC III	Air throw distance (approx.) (metre)	15.2	15.2	12	10.7	7.6
בעושואוארם	Air delivery (m³/h)	4700	4700	3500	2900	1100
PER	Wattage (approx.) (W)	190	190	180	125	120
١.	3 pin power cord with earthing	Provided	Provided	Provided	Provided	Provided
SAFELY	Thermal overload protection	Provided	Provided	Provided	Provided	Provided
	Air deflection	4 way	4 way	4 way	4 way	4 way
	Speed	3 speed	3 speed	3 speed	3 speed	3 speed
CNO	Vertical louver movement	Motorized	Motorized	Motorized	Motorized	Motorized
FUNCTIONS	Horizontal louver movement	Manual	Manual	Manual	Manual	Manual
	Fully closable horizontal louvers	Provided	Provided	Provided	Provided	Provided
	Works on inverter	Yes	Yes	Yes	Yes	Yes
0	Blower/fan diameter (cm)	40.6	40.6	35.6	35.6	20.3
DIMENSIONS	Product dimensions (W x D x H) in cm	68 x 52.4 x 110	68 x 52.4 x 104.1	56.5 x 47.0 x 120.2	56.5 x 47.0 x 110.2	46 x 37 x 78.1

<sup>\*</sup> All the above-mentioned specs are under standard test conditions and actual performance may vary as per usage conditions. Design, specs and aesthetics are subject to change without prior notice due to continuous development.









Presenting

### **AIROTRON SERIES OF AIR COOLERS**

FOR LONG-LASTING COOLING

Extra tall Desert Models

Higher Larger Air Delivery Cooling Pad Area



#### AIROTRON AIR COOLERS FOR LONG-LASTING COOLING

Keep your summers sweat-free with the latest range of Airotron coolers from V-Guard. It comes in a towering size which provides superior air throw to ventilate the far reaches of your room. The large cooling pads enhance the cooling effect and provide long-lasting cooling. All in all, it works to offer you and your family a relaxing and rejuvenating sleep.

#### AIROTRON AIR COOLER FEATURES



An Aerodynamically Balanced Body For Better Stability.



Tetra Airflow Cooling Greater Coverage With Equal Airflow From All Directions.



Superior Performance 2 Years Warranty On Motor & Pump.




Himalayan Pinewood Wool Cooling Pads. (In Selected Models Only) Quality Pads Enhance Cooling Effect.



Thicker Honeycomb Pads. (In Selected Models Only) Long-Lasting Anti-Fungal Pads For Greater Cooling.



Unidrip Flow Water Distribution. Uniform Water Distribution On Cooling Pads For Superior Cooling.



Best-In-Class Air Delivery. Wider Air Blast Covers Far Reaches Of Your Room.




Wide Voltage Working Range (160~270 V). Product Even Runs On Extreme Input Voltage Conditions In Urban & Rural Areas.




Corrosion Reistant Fan Blades/Blowers, Which Prevents Unnecessary Service Calls.



Enhanced Protection For Main Motor & Pump. Safeguards Against Extreme Conditions And Faults During Usage.



Cord Winding Provision.



Works On Inverters.
Smooth Functioning Of Air Coolers
When Running On Inverters Due To
Low Power Consumption.





Power Cord Winding Provision. Flexible And Damage-Free Power Cords.



3-Pin Plug Top With Earthing Wire. Earthing Wire For Better Safety Of Product And Usage.



Water Level Indicator. Easy Water Level Indicator And Timely Refill Reminder To Show The Water Level In Tank, Without Any Effort.



Free Wheeling Castors Helps Easy Movement And Handling Of Air Coolers.



Trolley Available.
(In Selected Models Only).
Supports The Air Cooler And Aids
In Portability. Also Enables Bed-Level
Air Throw For Better Cooling
Experience While Sleeping.



Higher Tank Capacity. Greater Storage Volume For Longer Cooling.



Extra Tall Desert Models. Longer Air Throw And Distance. Bed-Level Air Throw For More Peaceful Sleep At Night.



Larger Fan Blade & Blower For Powerful Cooling. (In Selected Models Only) Powerful & Robust Cooling Fan Blade For Wider And Robust Cooling.



Water Inlet. Hassle-free Inlet Fills Water In No Time.

# **DESERT COOLERS** V-GUARD AIROTRON D90 H **FEATURES** · Tank capacity: 90 litre Air delivery: 5500 m³/h Air throw distance: 16.7 metre Antifungal cellulose honeycomb cooling pads. For faster cooling ice cubes can be added to water inlet door. 33 | V-GUARD AIR COOLER











# ROOM COOLERS AIROTRON W50 HT





# ROOM COOLERS AIROTRON W50 WT





## **PERSONAL COOLERS**

**AIROTRON P26 H** 









	TECHNICAL SPECIFICATION - AIROTRON						
	MODEL						
	AIR COOLER CATEGORY	DESERT	DESERT	DESERT	ROOM	PERSONAL	
	MODEL NAME	AIROTRON D90 H	AIROTRON D75 H	AIROTRON D50 H	AIROTRON W50 HT	AIROTRON P26 H	
	Water tank capacity Up to overflow (litres)	90	75	50	50	26	
	Air device	Corrosion Resistant plastic Fan blade	Corrosion Resistant plastic Fan blade	Corrosion Resistant plastic Fan blade	Corrosion Resistant plastic Blower	Corrosion Resistant plastic Blower	
	Water inlet provision	Water inlet door	Water inlet door	Water inlet door	Water inlet door	Water inlet door	
53	Water level indicator	Provided (Tank inbuilt)	Provided (Tank inbuilt)	Provided (Tank inbuilt)	Provided (Tank inbuilt)	Provided (Tank inbuilt)	
URI	Over flow hole	Provided	Provided	Provided	Provided	Provided	
FEATURES	Openable cooling pads  Cooling medium	Only back panel Cellulose 7mm flute Honeycomb pad	Only back panel Cellulose 7mm flute Honeycomb pad	Only back panel Cellulose 7mm flute Honeycomb pad	All panels Cellulose 7mm flute Honeycomb pad	Only back panel Cellulose 7mm flute Honeycomb pad	
-	Cord winding provision	Provided	Provided	Provided	Provided	Provided	
=	Handle provision	Provided	Provided	Provided	Provided	Provided	
	Portability	5 nos. Caster wheels provided	5 nos. Caster wheels provided	4 nos. Caster wheels provided	Trolley with 4 nos. Caster wheels provided	4 nos. Caster wheels provided	
NCE	Air throw distance (Approx. Metre)	16.7	15.2	15.2	15.2	9.14	
PERFORMANCE	Air delivery (m³/h)	5500	4500	4500	2450	1300	
PERI	Wattage (approx.) (w)	250	200	200	260	140	
SAFETY	3-pin power cord with Earthing	Provided	Provided	Provided	Provided	Provided	
SAI	Thermal overload protection	Provided	Provided	Provided	Provided	Provided	
10	Air deflection	4 way	4 way	4 way	4 way	4 way	
FUNCTIONS	Speed	3 speed	3 speed	3 speed	3 speed	3 speed	
P	Vertical louver movement	Motorized	Motorized	Motorized	Motorized	Motorized	
E	Horizontal louver movement	Manual	Manual	Manual	Manual	Manual	
	Works on inverter	Yes	Yes	Yes	Yes	Yes	
GUIDE	Blower/fan diameter (cm) Product dimension (W x D x H) in cm	45.7 64.1 x 47.0 x 127.5	40.6 60.0 x 46.7 x 122.2	40.6 60.0 x 46.7 x 110.6	22.8 64.5 x 56.1 x 101.1 (with trolley)	22.8 46.7 x 35.5 x 81.8	

All the above-mentioned specs are under standard test conditions and actual performance may vary as per usage conditions. Design, specs and aesthetics are subject to change without prior notice due to continuous development.

	TECHNICAL SPECIFICATION - AIROTRON							
	MODEL							
	AIR COOLER CATEGORY	DESERT	DESERT	DESERT	ROOM			
	MODEL NAME	AIROTRON D90 W	AIROTRON D75 W	AIROTRON D50 W	AIROTRON W50 WT			
	Water tank capacity Up to overflow (litres)	90	75	50	50			
	Air device	Corrosion Resistant plastic Fan blade	Corrosion Resistant plastic Fan blade	Corrosion Resistant plastic Fan blade	Corrosion Resistant plastic Blower			
-	Water inlet provision	Water inlet door	Water inlet door	Water inlet door	Water inlet door			
FEATURES	Water level indicator	Provided (Tank inbuilt)	Provided (Tank inbuilt)	Provided (Tank inbuilt)	Provided (Tank inbuilt)			
FEA	Over flow hole	Provided	Provided	Provided	Provided			
	Openable cooling pads	Only back panel	Only back panel	Only back panel	All panels			
	Cooling medium	Himalayan pine Wood wool Cooling pads						
	Cord winding provision	Provided	Provided	Provided	Provided			
Ì	Handle provision	Provided	Provided	Provided	Provided			
	Portability	5 nos. caster wheels provided	5 nos. caster wheels provided	4 nos. caster wheels provided	Trolley with 4 nos. caster wheels provided			
å	Air throw distance (Approx. Metre)	15.24	13.7	13.7	13.7			
PERFORMANCE	Air delivery (m³/h)	5200	4200	4200	2150			
PERF	Wattage (approx.) (w)	250	200	200	260			
SAFETY	3-pin power cord with Earthing	Provided	Provided	Provided	Provided			
SAF	Thermal overload protection	Provided	Provided	Provided	Provided			
	Air deflection	4 way	4 way	4 way	4 way			
10	Speed	3 speed	3 speed	3 speed	3 speed			
FUNCTIONS	Vertical louver movement	Motorized	Motorized	Motorized	Motorized			
FUNC	Horizontal louver movement	Manual	Manual	Manual	Manual			
3473	Works on inverter	Yes	Yes	Yes	Yes			
	Blower/fan diameter (cm)	45.7	40.6	40.6	22.8			
GUIDE	Product dimension (W x D x H) in cm	64.1 x 47.0 x 127.5	60.0 x 46.7 x 122.2	60.0 x 46.7 x 110.6	64.5 x 56.1 x 101.1 (with trolley)			

All the above-mentioned specs are under standard test conditions and actual performance may vary as per usage conditions. Design, specs and aesthetics are subject to change without prior notice due to continuous development.





WHATSAPP SERVICE SUPPORT: +91 96335 03333

CALL CENTRE: 1800-103-1300 (Toll-Free) 1860-180-3000 (Toll)

TIMING: 9 am to 7 pm (Monday to Saturday) 9 am to 6 pm (Sunday)

WEBSITE: www.vguard.in

EMAIL: customercare@vguard.in



V-Guard Industries Ltd., Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682028, Kerala. Ph: 0484-2005000, 4335000 www.vguard.in



U-Guard Care
1800 103 1300 (Toll Free)
1860 180 3000 (Charges Apply)
customercare@vguard.in
0 9633503333

www.vguard.in/home/customer-care CIN: L31200KL1996PLC010010